


# **OVERVIEW**



1. Thunderbolt 4	7. microSD card reader
2. Thunderbolt 4	8. Smart card reader *
3. Side docking connector *	9. USB 3.2 Gen 1 (Always On)
4. USB 3.2 Gen 1	10. Ethernet (RJ-45) *
5. HDMI 2.0	11. Kensington Security Slot
6. Headphone / microphone combo jack (3.5mm)	

## Notes:

- Items with \* are only available on selected models
- Optional nano-SIM card slot on the rear side (not shown on the sample product above)
- The combination of 2 and 3 is side docking connector



# **PERFORMANCE**

### **Processor**

### **Processor Family**

11th Generation Intel® Core™ i5 / i7 Processor

#### Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
Core i5-1135G7	4	8	2.4GHz	4.2GHz	8MB	Intel Iris® Xe Graphics
Core i5-1145G7	4	8	2.6GHz	4.4GHz	8MB	Intel Iris Xe Graphics
Core i7-1165G7	4	8	2.8GHz	4.7GHz	12MB	Intel Iris Xe Graphics
Core i7-1185G7	4	8	3.0GHz	4.8GHz	12MB	Intel Iris Xe Graphics

#### Notes:

[1] Intel Iris Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel Iris Xe Graphics will function as Intel UHD Graphics.

## **Operating System**

## Operating System\*\*

- Windows® 11 Pro
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 DG Windows 10 Pro 64
- Windows 10 Pro 64
- Windows 10 Home 64
- Windows 10 Home 64 Single Language
- Windows 10 IoT Enterprise LTSC
- Linux<sup>[1]</sup>
- Ubuntu Linux<sup>[2]</sup>
- · No operating system

#### Notes:

[1], [2] Some features may not be supported on the system with Linux preload, including but not limited to Intel RST RAID, MIPI computer vision camera, WWAN, Human Presence Detection, etc.

# **Graphics**

## Graphics\*\*

Graphics	Туре	Memory	Key Features	
Intel Iris Xe Graphics[1]	Integrated	Shared	DirectX® 12.1	
NVIDIA® GeForce MX450	Discrete	2GB GDDR6	DirectX 12	

#### Notes:

[1] Intel Iris Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel Iris Xe Graphics will function as Intel UHD Graphics.

## **Monitor Support**

## Monitor Support[1]

Supports up to 4 independent displays (native display and 3 external monitors via Thunderbolt™ and HDMI®)

- Thunderbolt supports up to 5K@60Hz
- HDMI supports up to 4K@60Hz

#### Notes:

[1] Refresh rates >60hz also supported, however max resolution will be limited.

## **Chipset**

## Chipset



Intel SoC (System on Chip) platform

## **Memory**

## Max Memory[1]

- Up to 40GB (8GB soldered + 32GB SO-DIMM) DDR4-3200
- Up to 48GB (16GB soldered + 32GB SO-DIMM) DDR4-3200

### **Memory Slots**

One memory soldered to systemboard, one DDR4 SO-DIMM slot, dual-channel capable

#### **Memory Type**

DDR4-3200

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

## **Storage**

## Storage Support[1]

One drive, up to 256GB M.2 2242 SSD or 2TB M.2 2280 SSD

#### **Storage Slot**

One M.2 2280 PCIe® 3.0 x4 slot

### Storage Type\*\*

Disk Type	Interface	Security
M.2 2242 SSD	PCIe NVMe®, PCIe 3.0 x4	-
M.2 2280 SSD <sup>[2]</sup>	PCIe NVMe, PCIe x4	Opal 2.0
M.2 2280 SSD <sup>[3]</sup>	PCIe NVMe, PCIe 4.0 x4 Performance	Opal 2.0

#### Notes:

- [1] The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.
- [2] PCIe x4 SSD may be PCIe 3.0 x4 or PCIe 4.0 x4 as substitution.
- [3] The SSD with PCle 4.0x4 performance is downgraded to closer to PCle 3.0x4 performance due to the system slot limitation.

## **Removable Storage**

### **Card Reader**

microSD card reader

## Multi-Media

### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3287 codec

#### **Speakers**

Stereo speakers, 2W x2, Dolby® Audio™

## Microphone

- · Dual-microphone array, far-field
- No microphone<sup>[1]</sup>

#### Camera\*\*

- HD 720p, with privacy shutter, fixed focus
- HD 720p + IR hybrid, with privacy shutter, fixed focus
- No camera

#### Notes:

[1] No microphone is for special bid only.

## **Battery**



#### **Battery**

Integrated Li-Polymer 50Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

### Max Battery Life[1]

MobileMark® 2018: 10.7 hr JEITA 2.0: 14.5 hr

#### Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## **Power Adapter**

### Power Adapter\*\*[1][2]

- 45W USB-C<sup>®</sup> (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- No power adapter<sup>[3]</sup>

#### Notes:

- [1] AC adapter offerings depend on the country.
- [2] 45W USB-C AC adapter is only available for the models with integrated graphics.
- In EMEA only 65W USB-C AC adapter is available.
- [3] No power adapter is for special bid only.

## **DESIGN**

# **Display**

# Display\*\*[1][2]

Cizo	Desclution	Tayloh	Tuna	Drightness	Curtooo	Aspect	Contrast	Color	Viewing Angle	Vov Footures
Size	Resolution	Touch	Туре	Brightness	Surface	Ratio	Ratio	Gamut	(L/R/U/D)	Key Features
14"	FHD (1920x1080)	None	IPS	250 nits	Anti- glare	16:9	700:1	45% NTSC	85°/85°/85°/85°	-
14"	FHD (1920x1080)	None	IPS	400 nits	Anti- glare	16:9	800:1	72% NTSC	85°/85°/85°/85°	Low power
14"	FHD (1920x1080)	None	IPS	300 nits	Anti- glare	16:9	700:1	45% NTSC	85°/85°/85°/85°	-
14"	FHD (1920x1080)	Multi- touch	IPS	300 nits	Anti- glare	16:9	700:1	45% NTSC	85°/85°/85°/85°	-
14"	FHD (1920x1080)	Multi- touch	IPS	500 nits	Anti- glare	16:9	1000:1	72% NTSC	89°/89°/89°/89°	ThinkPad® Privacy Guard
14"	UHD (3840x2160)	None	IPS	500 nits	Anti- glare	16:9	1500:1	100% Adobe® RGB	89°/89°/89°	Dolby Vision™, DisplayHDR™ 400

### **Color Calibration**

- X-Rite<sup>®</sup> factory color calibration (UHD display)
- · No color calibration

## Touchscreen

- On-cell multi-touch, supports 10-point touch
- Non-touch

## Notes:



[1] California Electronic Waste Recycling Fee

In California USA, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, please go to https://www.calrecycle.ca.gov/Electronics/Consumer.

- [2] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.
- [3] 250 nits display is ONLY available in Brazil.

## **Input Device**

### Keyboard

6-row, spill-resistant, multimedia Fn keys with Unified Communications controls

#### **Keyboard Backlight**

- · LED backlight
- · Non-backlight

#### UltraNav™

TrackPoint® pointing device and Mylar® surface multi-touch touchpad

#### Mechanical

## Dimensions (WxDxH)[1]

Models	Dimensions
Aluminium models	329.4 x 227.5 x 17.9 mm (12.97 x 8.96 x 0.70 inches)
PPS models	329 x 227 x 17.9 mm (12.95 x 8.94 x 0.70 inches)

## Weight<sup>[2]</sup>

Models	Weight
Models with PPS top cover and FHD Low Power display	Starting at 1.47 kg (3.23 lbs)
Models with aluminium top cover and FHD non-touch display	Starting at 1.502 kg (3.31 lbs)
Models with PPS top cover and FHD non-touch display	Starting at 1.53 kg (3.37 lbs)
Models with aluminium top cover and FHD Privacy Guard display	Starting at 1.55 kg (3.42 lbs)
Models with PPS top cover and FHD Privacy Guard display	Starting at 1.58 kg (3.49 lbs)
Models with aluminium top cover and FHD touch display	Starting at 1.502 kg (3.31 lbs)
Models with PPS top cover and FHD touch display	Starting at 1.53 kg (3.37 lbs)
Models with PPS top cover and UHD display	Starting at 1.47 kg (3.24 lbs)

## Case Color\*\*

- Black
- Storm grey<sup>[3]</sup>

### Surface Treatment

- ISO 22196 compliant anti-microbial surface treatment (not including keyboard, display, and display bezel)<sup>[4]</sup>
- · Not anti-microbial surface treatment

#### Case Material\*\*

- PPS / 50% GF (top), PC-ABS / Talc15 + magnesium alloy (keyboard cover), PA / 50% GF (bottom)
- Aluminium (top), PC-ABS / Talc15 + magnesium alloy (keyboard cover), PA / 50% GF (bottom)

### Notes:

- [1] The system dimensions may vary depending on configurations.
- [2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.
- [3] Storm grey case is NOT available in EMEA.
- [4] Anti-microbial surface treatment is NOT available for aluminium models.

## CONNECTIVITY

#### **Network**



#### Ethernet\*\*

- Gigabit Ethernet, Intel Ethernet Connection I219-LM (vPro® models), 1x RJ-45, supports Wake-on-LAN
- Gigabit Ethernet, Intel Ethernet Connection I219-V (non-vPro models), 1x RJ-45, supports Wake-on-LAN
- No onboard Ethernet<sup>[1]</sup>

### WLAN + Bluetooth®\*\*[2]

- Intel Wi-Fi® 6 AX201, 802,11ax 2x2 Wi-Fi + Bluetooth 5,1[3]
- Intel Wi-Fi 6E AX210, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1<sup>[4]</sup>

## WWAN\*\*[5]

- Wireless WAN upgradable to 4G (with antenna ready)
- Quectel EM120R-GL, 4G LTE CAT12, M.2 card
- Quectel EM120R-GL, 4G LTE CAT12, M.2 card, with embedded eSIM functionality
- Quectel EM160R, 4G LTE CAT16, MIMO 4x4, M.2 card, with embedded eSIM functionality
- No support

#### SIM Card

- · Gemalto eSIM card (physical)
- No SIM card inbox

#### NFC<sup>[6]</sup>

- · Near Field Communication
- · No support

#### Notes:

- [1] It is recommended to use the Lenovo USB-C to Ethernet Adapter for Ethernet connection.
- [2] Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.
- [3] Wi-Fi 6 full features might be limited by country-level restrictions.
- [4] Wi-Fi 6E full features might be limited by country-level restrictions.

Wi-Fi 6E is only enabled on Windows 11 and operates as Wi-Fi 6 with Windows 10.

6GHz Wi-Fi 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi 6E, and the regional regulatory certifications & spectrum allocation.

- [5] WWAN is NOT available for aluminium models.
- [6] NFC is NOT available for aluminium models, and is mutually exclusive with FIPS 201 fingerprint reader and RFID reader.

#### Ports<sup>[1]</sup>

#### **Standard Ports**

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 2x Thunderbolt 4 / USB4® 40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4a)
- 1x HDMI 2.0
- 1x microSD card reader
- 1x Headphone / microphone combo jack (3.5mm)

## Optional Ports\*\*\*

- 1x Ethernet (RJ-45)
- 1x Side docking connector
- 1x Smart card reader<sup>[2]</sup>
- 1x Nano-SIM card slot (WWAN support models)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt 3/4: 40 Gbit/s.

[2] Smart card reader is NOT available with FIPS 201 fingerprint reader and anti-microbial covers.

### **Docking**



#### **Docking**

Various docking solutions supported via side docking connector (optional) or Thunderbolt / USB-C. For more compatible docking solutions, please visit <u>Docking for ThinkPad T14 Gen 2 (Intel)</u>

#### **Monitor Cable**

## Monitor Cable\*\*\*

- Lenovo HDMI to VGA Monitor Adapter
- Lenovo USB-C to VGA Adapter
- Lenovo USB-C to DisplayPort Adapter
- No monitor cable

# **SECURITY & PRIVACY**

# **Security**

### **Security Chip**

Discrete TPM 2.0, TCG certified

### **Physical Locks**

Kensington® Security Slot™, 3 x 7 mm

#### **Smart Card Reader**

- Smart card reader
- No smart card reader

## Fingerprint Reader\*\*

- FIPS 201 fingerprint reader on palm rest[1]
- Touch style fingerprint reader on palm rest, match-on-chip[2]
- No fingerprint reader[3]

### **BIOS Security**

- · Power-on password
- · Supervisor password
- NVMe password
- · Self-healing BIOS

### **Other Security**

- (Optional) Camera privacy shutter
- (Optional) IR camera for Windows Hello
- (Optional) Privacy Guard with Privacy Alert
- (Optional) RFID reader<sup>[4]</sup>

### Notes:

[1] FIPS 201 fingerprint reader is ONLY available for the models with anti-microbial black covers and is mutually exclusive with NFC.

- [2] Match-on-chip fingerprint reader is mutually exclusive with RFID reader.
- [3] No fingerprint reader is ONLY available for the models with black cover.
- [4] RFID reader is ONLY available with FIPS 201 fingerprint reader and anti-microbial covers, and NOT available on Aluminium models.

## **MANAGEABILITY**

## **System Management**

# **System Management**

- Intel vPro[1]
- Non-vPro

#### Notes:

[1] Intel vPro offers a superset of DASH's defined capabilities.

## **SERVICE**



# **Warranty**<sup>[1]</sup>

#### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 1-year limited onsite service
- 3-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) limited onsite service
- No base warranty<sup>[2]</sup>

### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

[2] No base warranty is for special bid only.

## **ENVIRONMENTAL**

## **Operating Environment**

### Temperature[1]

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package: -20°C (-4°F) to 60°C (140°F)
- Storage without package: 5°C (41°F) to 43°C (109°F)

### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Δltitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

# **CERTIFICATIONS**

### Green Certifications<sup>11</sup>

## **Green Certifications**

- ENERGY STAR® 8.0
- EPEAT™ Gold Registered
- TCO Certified
- · RoHS compliant

### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

## Other Certifications

## Mil-Spec Test

MIL-STD-810H military test passed

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.

# ThinkPad T14 Gen 2 (Intel)



responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.

• The specifications on this page may not be available in all regions, and may be changed or updated without notice







el. intel.



intel



intel.



